

```
<?xml version="1.0" encoding="ISO-8859-1"?>
<?xml-stylesheet type="text/xsl" href="test-x.xsl"?>
<Results>
<TestResult>
<TestApp>Memory Manager</TestApp>
<StartTime>11-09-2005 17:52:46</StartTime>
<EndTime>11-09-2005 17:52:47</EndTime>
<Duration>00:00:01</Duration>
<InputData>Wanted result: 100000</InputData>
<Result>PASS</Result>
<Severity>Minor</Severity>
<Details>RAM eating started
Wanted result: 100000
Actual result: 98304
RAM eating ended
</Details>
<OutputData>Actual result: 98304</OutputData>
</TestResult>
<TestResult>
<TestApp>Memory Manager</TestApp>
<StartTime>12-09-2005 19:51:05</StartTime>
<EndTime>12-09-2005 19:51:05</EndTime>
<Duration>00:00:00</Duration>
<InputData></InputData>
<Result>PASS</Result>
<Severity>Minor</Severity>
<Details>RAM freeing started
Memory freed: 8093696
RAM freeing ended
</Details>
<OutputData>Memory freed: 8093696</OutputData>
</TestResult>
</Results>
```

```
<?xml version="1.0" encoding="ISO-8859-1"?>
<?xml-stylesheet type="text/xsl" href="test-x.xsl"?>
<Results>
<TestResult>
<TestApp>RFS Plug-in </TestApp>
<StartTime>12-09-2005 20:07:10</StartTime>
<EndTime>12-09-2005 20:07:11</EndTime>
<Duration>00:00:01</Duration>
<InputData>16 ini-files</InputData>
<Result>PASS</Result>
<Severity>Major</Severity>
<Details>
\SYSTEM\SHAREDDATA\100056C6.INI - No differences

\SYSTEM\SHAREDDATA\100058BE.INI - Difference Row 7 SmsSCA= -->
SmsSCA=+358405202000

\SYSTEM\SHAREDDATA\100058EC.INI - Difference Row 2 SumAftCall=0 -->
SumAftCall=1
- Difference Row 17 ScrSvrPrd=5 --> ScrSvrPrd=1
- Difference Row 29 PredTxt=0 --> PredTxt=1
- Difference Row 57 DispLight=15 --> DispLight=10

\SYSTEM\SHAREDDATA\100058F3.INI - Difference Row 9 CamCorderStartedbySysAp=
--> CamCorderStartedbySysAp=0

\SYSTEM\SHAREDDATA\10005943.INI - No differences

\SYSTEM\SHAREDDATA\10005952.INI - is found from E: but not from C: drive.

\SYSTEM\SHAREDDATA\101F4CD2.INI - No differences

\SYSTEM\SHAREDDATA\101F4CD5.INI - No differences

\SYSTEM\SHAREDDATA\10005A32.INI - is found from E: but not from C: drive.

\SYSTEM\SHAREDDATA\10008D39.INI - Difference Row 26 -->
DTMFAlreadyConfirmed=0
- Difference Row 27 --> DTMFAlreadyConfirmed=0

\SYSTEM\SHAREDDATA\100058B3.INI - Difference Row 2 EarVolume=4 -->
EarVolume=10
- Difference Row 3 IhfVolume=4 --> IhfVolume=10

\SYSTEM\SHAREDDATA\100058C5.INI - is found from E: but not from C: drive.

\SYSTEM\SHAREDDATA\100058FA.INI - is found from E: but not from C: drive.

\SYSTEM\SHAREDDATA\1000599E.INI - is found from E: but not from C: drive.

\SYSTEM\SHAREDDATA\10005984.INI - No differences

\SYSTEM\DATA\FEP.INI - No differences
```

```
</Details>  
<OutputData></OutputData>  
</TestResult>  
</Results>
```

```
<?xml version="1.0" encoding="ISO-8859-1"?>
<?xml-stylesheet type="text/xsl" href="test-x.xsl"?>
<Results>
<TestResult>
<TestApp>BT_Tester</TestApp>
<StartTime>12-09-2005 20:26:52</StartTime>
<EndTime>12-09-2005 20:27:09</EndTime>
<Duration>00:00:43</Duration>
<InputData></InputData>
<Result>PASS</Result>
<Severity>Minor</Severity>
<Details>
Service Search test with device scanning start
Scanning BT devices
Bt devices scanned
Next devices found:
Testi
```

```
Start searching at:
Testi
9 records found
-- Record Start --.
Handle: 0x0
Attr Id: 0x0
-UInt: 0x0
Attr Id: 0x1
-DES
UUID: 0x1000
Attr Id: 0x2
-UInt: 0x0
Attr Id: 0x4
-DES
--DES
UUID: 0x0100
Attr Id: 0x5
-DES
UUID: 0x1000
Attr Id: 0x6
-DES
--UInt: 0x656e
--UInt: 0x6a
--UInt: 0x100
Attr Id: 0x7
-UInt: 0x4b0
Attr Id: 0x8
-UInt: 0xff
Attr Id: 0x100
SDP Server
Attr Id: 0x101
Provides local ser
vice information f
or remote devices.
Attr Id: 0x102
```

Symbian Ltd.  
Attr Id: 0x200  
-DES  
--UInt: 0x100  
--UInt: 0x101  
Attr Id: 0x201  
-UInt: 0xc  
-- Record Start --.  
Handle: 0x10000  
Attr Id: 0x0  
-UInt: 0x10000  
Attr Id: 0x1  
-DES  
UUID: 0x1103  
Attr Id: 0x2  
-UInt: 0x6  
Attr Id: 0x4  
-DES  
--DES  
UUID: 0x0100  
--DES  
UUID: 0x0003  
---UInt: 0x1  
Attr Id: 0x5  
-DES  
UUID: 0x1002  
Attr Id: 0x6  
-DES  
--UInt: 0x454e  
--UInt: 0x6a  
--UInt: 0x100  
Attr Id: 0x9  
-DES  
--DES  
UUID: 0x1103  
---UInt: 0x100  
Attr Id: 0x100  
Dial-Up Networking  
-- Record Start --.  
Handle: 0x10001  
Attr Id: 0x0  
-UInt: 0x10001  
Attr Id: 0x1  
-DES  
UUID: 0x1105  
Attr Id: 0x2  
-UInt: 0x7  
Attr Id: 0x4  
-DES  
--DES  
UUID: 0x0100  
--DES  
UUID: 0x0003

```
---UInt: 0x9
--DES
UUID: 0x0008
Attr Id: 0x5
-DES
UUID: 0x1002
Attr Id: 0x6
-DES
--UInt: 0x454e
--UInt: 0x6a
--UInt: 0x100
Attr Id: 0x9
-DES
--DES
UUID: 0x1105
---UInt: 0x100
Attr Id: 0x100
OBEX Object Push
Attr Id: 0x303
-DES
--UInt: 0xff
-- Record Start --.
Handle: 0x10002
Attr Id: 0x0
-UInt: 0x10002
Attr Id: 0x1
-DES
UUID: 0x111b
Attr Id: 0x2
-UInt: 0xa
Attr Id: 0x4
-DES
--DES
UUID: 0x0100
--DES
UUID: 0x0003
---UInt: 0xf
--DES
UUID: 0x0008
Attr Id: 0x5
-DES
UUID: 0x1002
Attr Id: 0x6
-DES
--UInt: 0x454e
--UInt: 0x6a
--UInt: 0x100
Attr Id: 0x9
-DES
--DES
UUID: 0x111a
---UInt: 0x100
Attr Id: 0x100
```

```
Imaging
Attr Id: 0x310
-UInt: 0x1
Attr Id: 0x311
-UInt: 0x1
Attr Id: 0x312
-UInt: 0xb
Attr Id: 0x313
The attribute can not be stored in an integer value.
-- Record Start --.
Handle: 0x10003
Attr Id: 0x0
-UInt: 0x10003
Attr Id: 0x1
-DES
UUID: 0x111f
UUID: 0x1203
Attr Id: 0x2
-UInt: 0x8
Attr Id: 0x4
-DES
--DES
UUID: 0x0100
--DES
UUID: 0x0003
---UInt: 0x2
Attr Id: 0x5
-DES
UUID: 0x1002
Attr Id: 0x6
-DES
--UInt: 0x454e
--UInt: 0x6a
--UInt: 0x100
Attr Id: 0x9
-DES
--DES
UUID: 0x111f
---UInt: 0x101
Attr Id: 0x100
Hands-Free Audio Gateway
Attr Id: 0x301
-UInt: 0x1
Attr Id: 0x311
-UInt: 0xf
-- Record Start --.
Handle: 0x10004
Attr Id: 0x0
-UInt: 0x10004
Attr Id: 0x1
-DES
UUID: 0x1112
```

UUID: 0x1203  
Attr Id: 0x2  
-UInt: 0x6  
Attr Id: 0x4  
-DES  
--DES  
UUID: 0x0100  
--DES  
UUID: 0x0003  
---UInt: 0x3  
Attr Id: 0x5  
-DES  
UUID: 0x1002  
Attr Id: 0x6  
-DES  
--UInt: 0x454e  
--UInt: 0x6a  
--UInt: 0x100  
Attr Id: 0x9  
-DES  
--DES  
UUID: 0x1108  
---UInt: 0x100  
Attr Id: 0x100  
Headset Audio Gate  
way  
-- Record Start --.  
Handle: 0x10005  
Attr Id: 0x0  
-UInt: 0x10005  
Attr Id: 0x1  
-DES  
UUID: 0x1106  
Attr Id: 0x2  
-UInt: 0x6  
Attr Id: 0x4  
-DES  
--DES  
UUID: 0x0100  
--DES  
UUID: 0x0003  
---UInt: 0xa  
--DES  
UUID: 0x0008  
Attr Id: 0x5  
-DES  
UUID: 0x1002  
Attr Id: 0x6  
-DES  
--UInt: 0x454e  
--UInt: 0x6a  
--UInt: 0x100  
Attr Id: 0x9



-DES  
--DES  
UUID: 0x1106  
---UInt: 0x100  
Attr Id: 0x100  
OBEX File Transfer  
-- Record Start --.  
Handle: 0x10006  
Attr Id: 0x0  
-UInt: 0x10006  
Attr Id: 0x1  
-DES  
UUID: 0x0000000200  
00100080000002ee00  
0002  
Attr Id: 0x2  
-UInt: 0x6  
Attr Id: 0x4  
-DES  
--DES  
UUID: 0x0100  
--DES  
UUID: 0x0003  
---UInt: 0xb  
--DES  
UUID: 0x0008  
Attr Id: 0x5  
-DES  
UUID: 0x1002  
Attr Id: 0x6  
-DES  
--UInt: 0x454e  
--UInt: 0x6a  
--UInt: 0x100  
Attr Id: 0x9  
-DES  
--DES  
UUID: 0x0000000200  
00100080000002ee00  
0002  
---UInt: 0x100  
Attr Id: 0x100  
SyncMLClient  
-- Record Start --.  
Handle: 0x10007  
Attr Id: 0x0  
-UInt: 0x10007  
Attr Id: 0x1  
-DES  
UUID: 0x0000500500  
00100080000002ee00  
0001  
Attr Id: 0x2

```
-UInt: 0x6
Attr Id: 0x4
-DES
--DES
UUID: 0x0100
--DES
UUID: 0x0003
---UInt: 0xc
--DES
UUID: 0x0008
Attr Id: 0x5
-DES
UUID: 0x1002
Attr Id: 0x6
-DES
--UInt: 0x454e
--UInt: 0x6a
--UInt: 0x100
Attr Id: 0x9
-DES
--DES
UUID: 0x0000500500
00100080000002ee00
0001
---UInt: 0x100
Attr Id: 0x100
Nokia OBEX PC Suite
Services
-- Finished --.
</Details>
<OutputData></OutputData>
</TestResult>
</Results>
```

```
<?xml version="1.0" encoding="ISO-8859-1"?>
<?xml-stylesheet type="text/xsl" href="test-x.xsl"?>
<Results>
<TestResult>
<TestApp>BT_Tester</TestApp>
<StartTime>12-09-2005 20:31:16</StartTime>
<EndTime>12-09-2005 20:31:32</EndTime>
<Duration>00:00:16</Duration>
<InputData></InputData>
<Result>FAIL</Result>
<Severity>Minor</Severity>
<Details>
Activation Test
Activation Test start with device scanning
Scanning BT devices
Bt devices scanned
Next devices found:
Testi

Start Activation Test
Testi
Searching services
Connection error!!
-1
Connection released
Connect to service
Connection error!!
-6352
Connection released
Connect to service
Connection error!!
-6352
Connection released
Connect to service
Connection error!!
-6352
Connection released
Connect to service
Connection error!!
-6352
Connection released
Connect to service
Connection error!!
-6352
Connection released
Connect to service
Connection error!!
-6352
Connection released
Disconnect complete
0/5 success</Details>
<OutputData></OutputData>
</TestResult>
</Results>
```

```
<?xml version="1.0" encoding="ISO-8859-1"?>
<?xml-stylesheet type="text/xsl" href="test-x.xsl"?>
<Results>
<TestResult>
<TestApp>BT_Tester</TestApp>
<StartTime>12-09-2005 20:03:31</StartTime>
<EndTime>12-09-2005 20:04:44</EndTime>
<Duration>00:01:13</Duration>
<InputData></InputData>
<Result>PASS</Result>
<Severity>Minor</Severity>
<Details>
```

Transfer Rate Test:

Testi

Found service

Connected

Send object

Sending time was

:01:08.375000

Average data transfer rate was

21,93784 kB/second

Disconnecting

Disconnected

```
</Details>
```

```
<OutputData>
```

TestFileAverage.txt has been sent

```
</OutputData>
```

```
</TestResult>
```

```
</Results>
```

```
<?xml version="1.0" encoding="ISO-8859-1"?>
<?xml-stylesheet type="text/xsl" href="test-x.xsl"?>
<Results>
<TestResult>
<TestApp>BT_Tester</TestApp>
<StartTime>12-09-2005 20:17:11</StartTime>
<EndTime>12-09-2005 20:21:40</EndTime>
<Duration>00:04:29</Duration>
<InputData></InputData>
<Result>PASS</Result>
<Severity>Minor</Severity>
<Details>
```

Stress Test:

Testi

Found service

Connected

1 Sending data

2 Sending data

3 Sending data

4 Sending data

5 Sending data

6 Sending data

7 Sending data

8 Sending data

9 Sending data

10 Sending data

Sending time was :04:22.406250

Average data transfer rate was

19,05442 kB/second

Disconnecting

Disconnected